• - ,			.4	
Notice of Allowability	Application No.	Applicant(s)	Applicant(s)	
	08/935,365	ROBERTS ET AL.	ROBERTS FT AI	
	Examiner	Art Unit		
	Joseph W. Drodge	1723		
The MAILING DATE of this communication app. All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT OF the Office or upon petition by the applicant. See 37 CFR 1.31 1. This communication is responsive to 12/24/2003. 2. The allowed claim(s) is/are 6.7.18.19 and 28, renumbered.	S (OK REMAINS) CLOSED is 5) or other appropriate comminated. This application is some 3 and MPEP 1308.	n this application. If not included	t	
3. The drawings filed on 22 September 1997 are accepted by	v the Examiner			
Acknowledgment is made of a claim for foreign priority u a) □ All b) □ Some* c) □ None of the:	inder 35 U.S.C. § 119(a)-(d)	or (f).		
Certified copies of the priority documents hav	e been received.			
2. Certified copies of the priority documents hav	e been received in Applicatio	n No		
3. Copies of the certified copies of the priority do	ocuments have been received	f in this national stage applicatio	n from the	
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority use reference was included in the first sentence of the specific (a) The translation of the foreign language provisional a Acknowledgment is made of a claim for domestic priority use in the first sentence of the specification or in an Application	ation of in an Application Data application has been received	a Sheet, 37 CFR 1,78.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" or below. Failure to timely comply will result in ABANDONMENT of	f this communication to file			
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 	nitted. Note the attached EXA es reason(s) why the oath or	MINICOLO AMENIONATION	FICE OF	
8. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted			
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Review	(PTO-948) attached		
1) hereto or 2) to Paper No				
(b) ☐ including changes required by the proposed drawing c	orrection filed, which	has been approved by the Exar	niner.	
(c) \square including changes required by the attached Examiner's	s Amendment / Comment or i	n the Office action of Paper No.		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the ne margin according to 37 CFR	e drawings in the front (not the ba	ck) of	
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT FOR TI 	sit of BIOLOGICAL MATE HE DEPOSIT OF BIOLOGIC	RIAL must be submitted. Note AL MATERIAL.	e the	
Attachment(s)			,	
1⊠ Notice of References Cited (PTO-892)	5 Notice of Infe	mal Detent Application (DEC.	.	
2☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	o∐ Notice of Infor	mal Patent Application (PTO-152 mary (PTO-413), Paper No. <u>010</u> -	2)	
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No	1			
	/⊠ Examiner's Am	s Amendment/Comment		

U.S. Patent and Trademark Office PTOL-37 (Rev. 11-03)

of Biological Material

4 Examiner's Comment Regarding Requirement for Deposit

9 Other

8⊠ Examiner's Statement of Reasons for Allowance

Art Unit: 1723

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jim Merek on January 9, 2004.

The application has been amended as follows:

In line 1 of each of claims 6,7 and 28 "An" has been replaced with -A filter system comprising a filter media and--.

In line 2 of each of claims 6, 7 and 28 "a filter" has been replaced with -the filter--

In line 11 of each of claims 6 and 7 "a fitler" has been replaced with —the filter—. In claim 18, line 5 "laterals" has been replaced with —lateral—.

In claim 28, in line 2 –adapted for distributing washing fluid and—has been inserted after "block" and in line 5 –which extends substantially the length of the filter media—has been inserted after "feet".

In the Specification, on page 14, line 7 "58" has been replaced with -56--.

ı

Art Unit: 1723

The following is an examiner's statement of reasons for allowance: Each of independent claims 6, 7 and 28 now distinguish in view of respective recitations "A filter system comprising a filter media and an underdrain block... wherein the underdrain block is jointless... extends substantially the length of the filter media. The prior art of record, although suggesting an intermediate product of length of underdrain block section meeting the respective length limitations, before being cut into individual blocks, however does not suggest such length of underdrain block present together with the filter media in a filter system and with underdrain block extending the length of the filter media. The added limitation to the claims concerning filter block extending the length of the filter media in a filter system is supported by page 10, line 33-page 11, line 4 and page 15, lines 6-12, etc. of the instant Specification. DenAdel patent 5,678,381 is made of record as teaching an extruded filter block of length of up to 30 or 40 feet which is jointless and has cut-out portions defining walls of chambers within (see especially column 7, lines 30-34, column 8, lines 5-7 and column 8, lines 40-46).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph W. Drodge whose telephone number is 571-272-1140. The examiner can normally be reached on 8:30-5:00 Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

JWD January 12, 2004

OSEPH DRODGE